EAGLE LAKE BLM CALIFORNIA SPECIAL STATUS PLANTS

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT	FAMILY	CA STATUS FED STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS		DATE UPDATED	COMMENTS	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	EAGLE LAKE BISHOP	EL CENTRO	HOLLISTER	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	SURPRISE	UKIAH
Astragalus agrestis	field milk-vetch	VASC	Fabaceae		BLMS	2.2		G5	S1.2	Ne	0		This species is rather widespread elsewhere, so the primary value of this population is its disjunct location in CA, and maintaining the genetic viability of the species across its range.	К				K								
Astragalus argophyllus var. argophyllus	silverleaf milk-vetch	VASC	Fabaceae		BLMS	2.2		G5T4	S1.2	No	0							КК								
Astragalus lemmonii	Lemmon's milk-vetch	VASC	Fabaceae		BLMS	1B.2	W	G2	S2	No	0	13-Sep-12						S	,							
Astragalus lentiformis	lens-pod milk-vetch	VASC	Fabaceae		BLMS	1B.2		G2	S2	No	0							К								
Astragalus pulsiferae var. pulsiferae	Pulsifer's milk-vetch	VASC	Fabaceae		BLMS	1B.2	W	G4T2	S2.2 in CA; S1 in NV	N	0							К								
Astragalus pulsiferae var. suksdorfii	Suksdorf's milk-vetch	VASC	Fabaceae		BLMS	1B.2		G4T2	S2.2	No	0		Occurrences formerly attributed to this species in N part of range (formerly K in Alturas and Eagle Lake) are now A. pulsiferae var. coronensis (Welsh, Ondriceek & Clifton 2002). Suspected in ELFO on conifer sites near Lake Almanor.					S								
Astragalus webberi	Webber's milk-vetch	VASC	Fabaceae		BLMS	1B.2		G1	S1.2	N	0							S	,							
Dalea ornata	ornate dalea	VASC	Fabaceae		BLMS	2.1		G4G5	S1.3	No	0		Only six closely associated occurrences are known of this plant in CA, and they are disjunct from the others in western NV. Known from the Snake and Columbia valleys in E. WA, OR, and SW ID. Occurrences are grazed and subject to invasion form medusahead and cheatgrass.					К								

SCIENTIFIC NAME Eriogonum microthecum var. schoolcraftii	COMMON NAME Schoolcraft's wild buckwheat	TYPE OF PLANT	FAMILY Polygonaceae	CA STATUS FED STATUS	BLM STATUS BLMS	CA RARE PLANT RANK 1B.2	NNPS STATUS 😮	GLOBAL RANK G5T2	STATE RANK S2.2 (CA);	NV STATUS	RECOVERY PLAN? No	DATE UPDATED COMMENTS 15-Nov-10 Newly described species (Phytologia 2004, 86(3)).	ALTURAS	ARCATA	BAKERSFIELD	BARSTOW	BISHOP	(1)	EL CENTRO	HOLLISTER	MOTHER LODE	PALM SPRINGS	REDDING	UKIAH SURPRISE S
									S1 (NV)															
Gratiola heterosepala	Boggs Lake hedge-hyssop	VASC	Plantaginaceae	SE	BLMS	1B.2		G2	S2		No	This is a vernal pool plant. Can be found in man-made reservoirs.	K		K			К		К			K	
Ivesia aperta var. aperta	Sierra Valley ivesia	VASC	Rosaceae		BLMS	1B.2	Т	G2T2	S2.2 (CA); S1 (NV)		No							K						
Ivesia sericoleuca	Plumas ivesia	VASC	Rosaceae		BLMS	1B.2		G2G3	S2S3		No							S						
Ivesia webberi	Webber's ivesia	VASC	Rosaceae	FC	BLMS	1B.1	Т	G2	S2.1 (CA); S1 (NV)	CE	No							К						
Loeflingia squarrosa var. artemisiarum	Sagebrush loeflingia	VASC	Caryophyllaceae		BLMS	2.2		G5T2T3	S2.2		No	18-Nov-10 Known to CA from only Lassen County (6 occ), Inyo County (5 occ), and two occurrences from Kern and Los Angeles counties. Three occurrences on Eagle Lake FO lands, 3 on private, and disjunct. Threatened by livestock trampling.					K	K						S
Mimulus evanescens	ephemeral monkeyflower	VASC	Phrymaceae		BLMS	1B.2		G2	S1.2		No	16-Nov-10	K					S					S	
Oreostemma elatum	tall alpine aster	VASC	Asteraceae		BLMS	1B.2		G2Q	S2.2		No							S						
Pedicularis centranthera	dwarf lousewort		Orobanchaceae		BLMS			G4	\$1.2		No	16-Nov-10 Only five known occurrences form CA, all from Secret Valley in Lassen Co, on BLM lands managed by the Eagle Lake Field Office. These occurrences are rather disjunct from Harney and Lake counties in OR and primarily the eastern half of NV.						K						
Penstemon sudans	Susanville beardtongue		Plantaginaceae		BLMS			G3	S3		No	16-Nov-10						K	\perp	_				
Phacelia inundata	playa phacelia	VASC	Boraginaceae		BLMS	1B.3	W	G2	S2.3 (CA); S2? (NV)		No	16-Nov-10	S					К						S

SCIENTIFIC NAME	COMMON NAME	TYPE OF PLANT		CA STATUS FED STATUS	BLM STATUS	CA RARE PLANT RANK	NNPS STATUS	GLOBAL RANK	STATE RANK	NV STATUS	RECOVERY PLAN?	DATE UPDATED COMMENTS	ALTURAS	ARCATA	BAKERSFIELD		FAGLE LAKE	רו פרודים	MOTHER LODE	NEEDLES	PALM SPRINGS	REDDING	RIDGECREST	UKIAH
Polyctenium williamsiae	Williams's combleaf	VASC	Brassicaceae		BLMS	18.2	T	G2Q	S1.2 (CA); S2 (NV)	CE	No	18-Sep-12 Known in Bishop on BLM land in the Bodie area. Because the Jepson Manual 2nd Edition and the Flora of North America reduced this species to synonomy under P. fremontii, the species was recently reviewed and kept on List 1B.2 by CNPS and CNDDB by decision dated February 8, 2012.				K	S							
Pyrrocoma lucida	sticky pyrrocoma	VASC	Asteraceae		BLMS	1B.2		G3	S3		No	13-Sep-12					К							
Rorippa columbiae	Columbia yellow cress	VASC	Brassicaceae		BLMS	1B.2		G3	S1.1		No		S				S					S		
Stipa exigua	little ricegrass	VASC	Poaceae		BLMS	2.3		G5	S1.3		No	13-Sep-12 Formerly <i>Oryzopsis exigua</i> Thurb. Known in CA from only two widely separated occurrences, one on public lands within the Eagle Lake Field Office which burned within the last few years. It is not common in NV. Threats include grazing and weed invasion following the recent fire.	К				K							5
Thelypodium howellii var. howellii	Howell's thelypodium	VASC	Brassicaceae		BLMS	1B.2		G2T2	S2.2		No		S				K							5

SCIENTIFIC NAME COMMON NAME PLANT FAMILY FAMILY STATUS S		TYPE OF PLANT FAMILY	GLOBAL RAN NNPS STATU CA RARE PLANT RAN BLM STATU CA STATU FED STATU	RECOVERY PLAN NV STATE RAN STATE RAN	
--	--	----------------------------	---	--	--

Type of Plant: BRYO = Bryophyte; FUNG = Fungus; LICH = Lichen; VASC = Vascular plant; Federal Status: FE = Federally Endangered; FT = Federally Threatened; SR = State Endangered; ST =